cass allen

Architectural & Environmental Acousticians
Noise & Vibration Engineers

Holloway Park, London

Construction Monitoring Report

Client:	London Square
Ref:	CM128-22405-R0
Date:	11 March 2026
Note by:	Sebastian Sloan, BSc TechIOA, Acoustics Consultant
Reviewed by:	Anthony Coraci, MSc DipIOA, Senior Acoustics Consultant

1. INTRODUCTION

1.1 This Technical Note sets out results of the construction monitoring being carried out at the above site between Monday 23rd February & Saturday 7th March 2026. The monitoring is being carried out in general agreement with the methodology in the current Section 61 Consent between the London Borough of Islington and London Square.

2. SITE ACTIVITIES

2.1 The following activities have been carried during the period covered by this report, in addition to the usual use of the Haul Road with site vehicles, and mobile plant used around the site:

- Drylining works at Block C
- Metsec and Facade works at Block C1, Trench excavation for water meter, within proximity of Block C1
- Brickwork across Block D, internal fitout at Block D1
- Scaffolding & waterproofing works at Blocks C&D
- Ground works taking place around the welfare area.
- Installation of services and pavements on Pankhurst Road
- Scaffolding and Metsec works around Block E.

Cass Allen
01234 834 862
www.cassallen.co.uk

3. MONITORING DATA

3.1 This section sets out a summary of the monitoring data that has been recorded onsite and provides a discussion of any exceedances and best practicable means incorporated by the site team if exceedances were believed to be construction related.

Dust Monitoring Results

Location 1 (meter ref. TNO4728)

3.2 There was 0% data coverage during the monitoring period, as the monitor was removed from site on Wednesday 17th December 2025 for its laboratory calibration (required every two years). This was returned to site on Friday 13th February. However, this monitor has remained offline due to water damage to the webserver, which occurred whilst the dust monitor was out for calibration. The webserver has been collected from site and an update will be provided in due course.

Location 2 (meter ref. TNO4778)

3.3 There was 0% data coverage during the monitoring period. The dust monitor at this location was removed for calibration on Friday 13th February 2026 and will be returned to site as soon as possible.

Location 3 (meter ref. TNO4729)



3.4 There was 100% data coverage during the monitoring period. There were no exceedances of the dust trigger level of 190 μg m^{-3} recorded at this location during construction hours.

Noise Monitoring Results

Location 1 (meter ref. SMENK-9E5DF)

Broadband Results

Date	Time	LAeq(60min)	LAeq(7hr)	LAeq(10hr)	LAeq(5hr)
[YYYY-MM-DD]	[hh:mm:ss]	[dB]	[dB]	[dB]	[dB]
2026-02-23	09:00:00	70.5	-.-	-.-	-.-
2026-02-23	10:00:00	70.8	-.-	-.-	-.-
2026-02-23	11:00:00	70.1	-.-	-.-	-.-
2026-02-23	12:00:00	69.9	-.-	-.-	-.-
2026-02-23	13:00:00	73.9	-.-	-.-	-.-
2026-02-23	14:00:00	69.7	-.-	-.-	-.-
2026-02-23	15:00:00	69.6	-.-	-.-	-.-
2026-02-23	16:00:00	69.4	-.-	-.-	-.-
2026-02-23	17:00:00	66.7	-.-	-.-	-.-
2026-02-23	18:00:00	64.5	-.-	70.1	-.-
2026-02-24	09:00:00	69.4	-.-	-.-	-.-
2026-02-24	10:00:00	69.1	-.-	-.-	-.-
2026-02-24	11:00:00	67.5	-.-	-.-	-.-
2026-02-24	12:00:00	69.4	-.-	-.-	-.-
2026-02-24	13:00:00	64.7	-.-	-.-	-.-
2026-02-24	14:00:00	68.4	-.-	-.-	-.-
2026-02-24	15:00:00	69.7	-.-	-.-	-.-
2026-02-24	16:00:00	69.4	-.-	-.-	-.-
2026-02-24	17:00:00	69.4	-.-	-.-	-.-
2026-02-24	18:00:00	64.2	-.-	68.5	-.-
2026-02-25	09:00:00	77.7	-.-	-.-	-.-
2026-02-25	10:00:00	68.4	-.-	-.-	-.-
2026-02-25	11:00:00	68.1	-.-	-.-	-.-
2026-02-25	12:00:00	68.1	-.-	-.-	-.-
2026-02-25	13:00:00	65.5	-.-	-.-	-.-
2026-02-25	14:00:00	68.6	-.-	-.-	-.-
2026-02-25	15:00:00	69.1	-.-	-.-	-.-
2026-02-25	16:00:00	69.7	-.-	-.-	-.-
2026-02-25	17:00:00	68.9	-.-	-.-	-.-
2026-02-25	18:00:00	61.2	-.-	70.6	-.-
2026-02-26	09:00:00	70.8	-.-	-.-	-.-
2026-02-26	10:00:00	68.7	-.-	-.-	-.-
2026-02-26	11:00:00	67.4	-.-	-.-	-.-
2026-02-26	12:00:00	67.2	-.-	-.-	-.-
2026-02-26	13:00:00	64.4	-.-	-.-	-.-
2026-02-26	14:00:00	66.8	-.-	-.-	-.-
2026-02-26	15:00:00	68.8	-.-	-.-	-.-
2026-02-26	16:00:00	66.5	-.-	-.-	-.-
2026-02-26	17:00:00	67.6	-.-	-.-	-.-
2026-02-26	18:00:00	67.7	-.-	67.9	-.-
2026-02-27	09:00:00	68.4	-.-	-.-	-.-
2026-02-27	10:00:00	68.1	-.-	-.-	-.-
2026-02-27	11:00:00	67.0	-.-	-.-	-.-
2026-02-27	12:00:00	67.9	-.-	-.-	-.-
2026-02-27	13:00:00	64.7	-.-	-.-	-.-
2026-02-27	14:00:00	67.8	-.-	-.-	-.-
2026-02-27	15:00:00	68.6	-.-	-.-	-.-
2026-02-27	16:00:00	65.6	-.-	-.-	-.-
2026-02-27	17:00:00	67.1	-.-	-.-	-.-
2026-02-27	18:00:00	66.3	-.-	67.3	-.-
2026-02-28	09:00:00	72.4	-.-	-.-	-.-
2026-02-28	10:00:00	63.6	-.-	-.-	-.-
2026-02-28	11:00:00	65.8	-.-	-.-	-.-
2026-02-28	12:00:00	61.3	-.-	-.-	-.-
2026-02-28	13:00:00	63.4	-.-	-.-	67.3
2026-03-01	18:00:00	-.-	-.-	60.6	-.-
2026-03-02	09:00:00	68.3	-.-	-.-	-.-
2026-03-02	10:00:00	68.3	-.-	-.-	-.-
2026-03-02	11:00:00	67.8	-.-	-.-	-.-
2026-03-02	12:00:00	67.6	-.-	-.-	-.-
2026-03-02	13:00:00	65.6	-.-	-.-	-.-
2026-03-02	14:00:00	68.2	-.-	-.-	-.-
2026-03-02	15:00:00	66.8	-.-	-.-	-.-
2026-03-02	16:00:00	67.9	-.-	-.-	-.-
2026-03-02	17:00:00	68.2	-.-	-.-	-.-
2026-03-02	18:00:00	64.5	-.-	67.5	-.-
2026-03-03	09:00:00	69.8	-.-	-.-	-.-
2026-03-03	10:00:00	70.2	-.-	-.-	-.-
2026-03-03	11:00:00	69.7	-.-	-.-	-.-
2026-03-03	12:00:00	71.3	-.-	-.-	-.-
2026-03-03	13:00:00	65.5	-.-	-.-	-.-
2026-03-03	14:00:00	67.6	-.-	-.-	-.-
2026-03-03	15:00:00	69.3	-.-	-.-	-.-
2026-03-03	16:00:00	70.6	-.-	-.-	-.-
2026-03-03	17:00:00	71.1	-.-	-.-	-.-
2026-03-03	18:00:00	64.2	-.-	69.4	-.-
2026-03-04	09:00:00	68.8	-.-	-.-	-.-
2026-03-04	10:00:00	81.0	-.-	-.-	-.-
2026-03-04	11:00:00	68.4	-.-	-.-	-.-
2026-03-04	12:00:00	65.3	-.-	-.-	-.-
2026-03-04	13:00:00	63.8	-.-	-.-	-.-
2026-03-04	14:00:00	76.3	-.-	-.-	-.-
2026-03-04	15:00:00	74.6	-.-	-.-	-.-
2026-03-04	16:00:00	70.0	-.-	-.-	-.-
2026-03-04	17:00:00	73.6	-.-	-.-	-.-
2026-03-04	18:00:00	62.7	-.-	74.0	-.-
2026-03-05	09:00:00	71.1	-.-	-.-	-.-
2026-03-05	10:00:00	78.2	-.-	-.-	-.-
2026-03-05	11:00:00	69.3	-.-	-.-	-.-
2026-03-05	12:00:00	68.4	-.-	-.-	-.-
2026-03-05	13:00:00	65.3	-.-	-.-	-.-
2026-03-05	14:00:00	67.9	-.-	-.-	-.-
2026-03-05	15:00:00	68.8	-.-	-.-	-.-
2026-03-05	16:00:00	68.3	-.-	-.-	-.-
2026-03-05	17:00:00	67.1	-.-	-.-	-.-
2026-03-05	18:00:00	64.2	-.-	71.0	-.-
2026-03-06	09:00:00	69.3	-.-	-.-	-.-
2026-03-06	10:00:00	68.8	-.-	-.-	-.-
2026-03-06	11:00:00	71.1	-.-	-.-	-.-
2026-03-06	12:00:00	69.1	-.-	-.-	-.-
2026-03-06	13:00:00	67.5	-.-	-.-	-.-
2026-03-06	14:00:00	67.5	-.-	-.-	-.-
2026-03-06	15:00:00	68.8	-.-	-.-	-.-
2026-03-06	16:00:00	68.8	-.-	-.-	-.-
2026-03-06	17:00:00	66.5	-.-	-.-	-.-
2026-03-06	18:00:00	71.8	-.-	69.2	-.-
2026-03-07	09:00:00	69.5	-.-	-.-	-.-
2026-03-07	10:00:00	67.5	-.-	-.-	-.-
2026-03-07	11:00:00	61.4	-.-	-.-	-.-
2026-03-07	12:00:00	62.0	-.-	-.-	-.-
2026-03-07	13:00:00	64.2	-.-	-.-	66.1

Location 1 (meter ref. SMENK-9E5DF) – Time History Data



3.5 There was 100% data coverage at Location 1 during construction hours for the monitoring period. There were no exceedances of the daily noise trigger level (75 dB LAeq,T). There were two exceedances of the hourly noise action level (78 dB LAeq,1 hour), these occurred on Wednesday 4th March at 10:00 with a recorded level of 81.0 dB LAeq,1hr and Thursday 5th March at 10:00 with a recorded level of 78.2 dB LAeq,1hr. Based on discussions with site management, this is understood to have been caused by a combination of the trench excavation at Block C1 and the scaffolding works at Block C. This will continue to be monitored.

Location 2 (meter ref. VFHMP-7XSY7)

Broadband Results

Date [YYYY-MM-DD]	Time [hh:mm:ss]	LAeq(60min) [dB]	LAeq(10hr) [dB]	LAeq(5hr) [dB]
2026-02-23	09:00:00	62.1	-.-	-.-
2026-02-23	10:00:00	62.2	-.-	-.-
2026-02-23	11:00:00	63.2	-.-	-.-
2026-02-23	12:00:00	67.3	-.-	-.-
2026-02-23	13:00:00	61.0	-.-	-.-
2026-02-23	14:00:00	61.5	-.-	-.-
2026-02-23	15:00:00	63.4	-.-	-.-
2026-02-23	16:00:00	62.7	-.-	-.-
2026-02-23	17:00:00	60.2	-.-	-.-
2026-02-23	18:00:00	51.0	62.7	-.-
2026-02-24	09:00:00	61.7	-.-	-.-
2026-02-24	10:00:00	60.8	-.-	-.-
2026-02-24	11:00:00	61.5	-.-	-.-
2026-02-24	12:00:00	61.7	-.-	-.-
2026-02-24	13:00:00	61.4	-.-	-.-
2026-02-24	14:00:00	58.9	-.-	-.-
2026-02-24	15:00:00	60.4	-.-	-.-
2026-02-24	16:00:00	61.0	-.-	-.-
2026-02-24	17:00:00	61.7	-.-	-.-
2026-02-24	18:00:00	50.0	60.7	-.-
2026-02-25	09:00:00	63.6	-.-	-.-
2026-02-25	10:00:00	63.4	-.-	-.-
2026-02-25	11:00:00	65.0	-.-	-.-
2026-02-25	12:00:00	62.6	-.-	-.-
2026-02-25	13:00:00	64.5	-.-	-.-
2026-02-25	14:00:00	61.1	-.-	-.-
2026-02-25	15:00:00	65.8	-.-	-.-
2026-02-25	16:00:00	65.0	-.-	-.-
2026-02-25	17:00:00	59.8	-.-	-.-
2026-02-25	18:00:00	49.0	63.3	-.-
2026-02-26	09:00:00	64.5	-.-	-.-
2026-02-26	10:00:00	65.2	-.-	-.-
2026-02-26	11:00:00	67.0	-.-	-.-
2026-02-26	12:00:00	65.8	-.-	-.-
2026-02-26	13:00:00	60.2	-.-	-.-
2026-02-26	14:00:00	62.7	-.-	-.-
2026-02-26	15:00:00	65.8	-.-	-.-
2026-02-26	16:00:00	64.0	-.-	-.-
2026-02-26	17:00:00	61.8	-.-	-.-
2026-02-26	18:00:00	51.7	64.1	-.-
2026-02-27	09:00:00	65.1	-.-	-.-
2026-02-27	10:00:00	66.2	-.-	-.-
2026-02-27	11:00:00	69.0	-.-	-.-
2026-02-27	12:00:00	66.3	-.-	-.-
2026-02-27	13:00:00	60.9	-.-	-.-
2026-02-27	14:00:00	64.1	-.-	-.-
2026-02-27	15:00:00	67.2	-.-	-.-
2026-02-27	16:00:00	65.3	-.-	-.-
2026-02-27	17:00:00	59.9	-.-	-.-
2026-02-27	18:00:00	56.9	65.3	-.-
2026-02-28	09:00:00	65.3	-.-	-.-
2026-02-28	10:00:00	63.0	-.-	-.-
2026-02-28	11:00:00	59.4	-.-	-.-
2026-02-28	12:00:00	63.0	-.-	-.-
2026-02-28	13:00:00	59.0	-.-	62.6
2026-03-01	18:00:00	-.-	47.1	-.-
2026-03-02	09:00:00	66.8	-.-	-.-
2026-03-02	10:00:00	69.5	-.-	-.-
2026-03-02	11:00:00	69.5	-.-	-.-
2026-03-02	12:00:00	69.3	-.-	-.-
2026-03-02	13:00:00	59.7	-.-	-.-
2026-03-02	14:00:00	66.6	-.-	-.-
2026-03-02	15:00:00	68.4	-.-	-.-
2026-03-02	16:00:00	65.8	-.-	-.-
2026-03-02	17:00:00	63.7	-.-	-.-
2026-03-02	18:00:00	50.8	67.0	-.-
2026-03-03	09:00:00	67.3	-.-	-.-
2026-03-03	10:00:00	70.4	-.-	-.-
2026-03-03	11:00:00	65.2	-.-	-.-
2026-03-03	12:00:00	69.7	-.-	-.-
2026-03-03	13:00:00	60.5	-.-	-.-
2026-03-03	14:00:00	62.6	-.-	-.-
2026-03-03	15:00:00	69.0	-.-	-.-
2026-03-03	16:00:00	67.6	-.-	-.-
2026-03-03	17:00:00	75.3	-.-	-.-
2026-03-03	18:00:00	53.1	69.0	-.-
2026-03-04	09:00:00	62.0	-.-	-.-
2026-03-04	10:00:00	63.1	-.-	-.-
2026-03-04	11:00:00	63.9	-.-	-.-
2026-03-04	12:00:00	69.2	-.-	-.-
2026-03-04	13:00:00	70.8	-.-	-.-
2026-03-04	14:00:00	64.2	-.-	-.-
2026-03-04	15:00:00	69.4	-.-	-.-
2026-03-04	16:00:00	68.1	-.-	-.-
2026-03-04	17:00:00	67.9	-.-	-.-
2026-03-04	18:00:00	50.4	67.0	-.-
2026-03-05	09:00:00	60.1	-.-	-.-
2026-03-05	10:00:00	59.8	-.-	-.-
2026-03-05	11:00:00	66.6	-.-	-.-
2026-03-05	12:00:00	70.8	-.-	-.-
2026-03-05	13:00:00	65.0	-.-	-.-
2026-03-05	14:00:00	64.8	-.-	-.-
2026-03-05	15:00:00	69.2	-.-	-.-
2026-03-05	16:00:00	68.5	-.-	-.-
2026-03-05	17:00:00	56.6	-.-	-.-
2026-03-05	18:00:00	54.0	66.1	-.-
2026-03-06	09:00:00	67.3	-.-	-.-
2026-03-06	10:00:00	68.9	-.-	-.-
2026-03-06	11:00:00	69.6	-.-	-.-
2026-03-06	12:00:00	70.2	-.-	-.-
2026-03-06	13:00:00	61.1	-.-	-.-
2026-03-06	14:00:00	66.6	-.-	-.-
2026-03-06	15:00:00	69.4	-.-	-.-
2026-03-06	16:00:00	70.1	-.-	-.-
2026-03-06	17:00:00	59.1	-.-	-.-
2026-03-06	18:00:00	60.6	67.7	-.-
2026-03-07	09:00:00	64.6	-.-	-.-
2026-03-07	10:00:00	62.0	-.-	-.-
2026-03-07	11:00:00	57.8	-.-	-.-
2026-03-07	12:00:00	60.5	-.-	-.-
2026-03-07	13:00:00	57.4	-.-	61.3

Location 2 (meter ref. VFHMP-7XSY7) – Time History Data



3.6 There was 100% data coverage at Location 2 during construction hours for the monitoring period covered by this report. There were no exceedances of the daily noise trigger level (75 dB LAeq,T) or hourly noise action level (78 dB LAeq,1 hour) at this location for the monitoring period covered by this report.

Location 3 (meter ref. P5DLY-N3J7A) – Raw Data

Broadband Results

Date [YYYY-MM-DD]	Time [hh:mm:ss]	LAeq(60min) [dB]	LAeq(10hr) [dB]	LAeq(5hr) [dB]
2026-02-23	09:00:00	63.0	-.-	-.-
2026-02-23	10:00:00	58.1	-.-	-.-
2026-02-23	11:00:00	62.4	-.-	-.-
2026-02-23	12:00:00	59.7	-.-	-.-
2026-02-23	13:00:00	56.9	-.-	-.-
2026-02-23	14:00:00	61.4	-.-	-.-
2026-02-23	15:00:00	60.2	-.-	-.-
2026-02-23	16:00:00	57.8	-.-	-.-
2026-02-23	17:00:00	59.6	-.-	-.-
2026-02-23	18:00:00	55.2	60.0	-.-
2026-02-24	09:00:00	59.6	-.-	-.-
2026-02-24	10:00:00	59.8	-.-	-.-
2026-02-24	11:00:00	61.2	-.-	-.-
2026-02-24	12:00:00	58.4	-.-	-.-
2026-02-24	13:00:00	58.4	-.-	-.-
2026-02-24	14:00:00	59.9	-.-	-.-
2026-02-24	15:00:00	63.3	-.-	-.-
2026-02-24	16:00:00	56.8	-.-	-.-
2026-02-24	17:00:00	61.2	-.-	-.-
2026-02-24	18:00:00	55.3	59.9	-.-
2026-02-25	09:00:00	67.4	-.-	-.-
2026-02-25	10:00:00	73.5	-.-	-.-
2026-02-25	11:00:00	65.3	-.-	-.-
2026-02-25	12:00:00	57.9	-.-	-.-
2026-02-25	13:00:00	64.7	-.-	-.-
2026-02-25	14:00:00	62.1	-.-	-.-
2026-02-25	15:00:00	69.7	-.-	-.-
2026-02-25	16:00:00	60.8	-.-	-.-
2026-02-25	17:00:00	61.6	-.-	-.-
2026-02-25	18:00:00	47.0	66.8	-.-
2026-02-26	09:00:00	58.1	-.-	-.-
2026-02-26	10:00:00	59.1	-.-	-.-
2026-02-26	11:00:00	58.1	-.-	-.-
2026-02-26	12:00:00	59.5	-.-	-.-
2026-02-26	13:00:00	56.2	-.-	-.-
2026-02-26	14:00:00	60.9	-.-	-.-
2026-02-26	15:00:00	55.5	-.-	-.-
2026-02-26	16:00:00	57.6	-.-	-.-
2026-02-26	17:00:00	57.8	-.-	-.-
2026-02-26	18:00:00	55.5	58.2	-.-
2026-02-27	09:00:00	62.0	-.-	-.-
2026-02-27	10:00:00	62.8	-.-	-.-
2026-02-27	11:00:00	63.8	-.-	-.-
2026-02-27	12:00:00	62.5	-.-	-.-
2026-02-27	13:00:00	59.0	-.-	-.-
2026-02-27	14:00:00	61.9	-.-	-.-
2026-02-27	15:00:00	60.3	-.-	-.-
2026-02-27	16:00:00	58.8	-.-	-.-
2026-02-27	17:00:00	61.1	-.-	-.-
2026-02-27	18:00:00	52.2	61.2	-.-
2026-02-28	09:00:00	52.6	-.-	-.-
2026-02-28	10:00:00	51.1	-.-	-.-
2026-02-28	11:00:00	50.5	-.-	-.-
2026-02-28	12:00:00	54.5	-.-	-.-
2026-02-28	13:00:00	49.5	-.-	52.0
2026-03-01	18:00:00	-.-	48.7	-.-
2026-03-02	09:00:00	61.0	-.-	-.-
2026-03-02	10:00:00	64.7	-.-	-.-
2026-03-02	11:00:00	60.5	-.-	-.-
2026-03-02	12:00:00	64.9	-.-	-.-
2026-03-02	13:00:00	57.6	-.-	-.-
2026-03-02	14:00:00	59.6	-.-	-.-
2026-03-02	15:00:00	63.7	-.-	-.-
2026-03-02	16:00:00	55.8	-.-	-.-
2026-03-02	17:00:00	63.0	-.-	-.-
2026-03-02	18:00:00	60.5	62.0	-.-
2026-03-03	09:00:00	65.9	-.-	-.-
2026-03-03	10:00:00	62.1	-.-	-.-
2026-03-03	11:00:00	58.1	-.-	-.-
2026-03-03	12:00:00	59.6	-.-	-.-
2026-03-03	13:00:00	61.9	-.-	-.-
2026-03-03	14:00:00	60.6	-.-	-.-
2026-03-03	15:00:00	57.0	-.-	-.-
2026-03-03	16:00:00	55.4	-.-	-.-
2026-03-03	17:00:00	57.0	-.-	-.-
2026-03-03	18:00:00	56.3	60.6	-.-
2026-03-04	09:00:00	66.1	-.-	-.-
2026-03-04	10:00:00	56.0	-.-	-.-
2026-03-04	11:00:00	55.3	-.-	-.-
2026-03-04	12:00:00	57.2	-.-	-.-
2026-03-04	13:00:00	60.0	-.-	-.-
2026-03-04	14:00:00	57.1	-.-	-.-
2026-03-04	15:00:00	55.6	-.-	-.-
2026-03-04	16:00:00	55.7	-.-	-.-
2026-03-04	17:00:00	54.1	-.-	-.-
2026-03-04	18:00:00	58.0	59.3	-.-
2026-03-05	09:00:00	55.6	-.-	-.-
2026-03-05	10:00:00	55.1	-.-	-.-
2026-03-05	11:00:00	53.7	-.-	-.-
2026-03-05	12:00:00	54.9	-.-	-.-
2026-03-05	13:00:00	53.8	-.-	-.-
2026-03-05	14:00:00	56.9	-.-	-.-
2026-03-05	15:00:00	55.8	-.-	-.-
2026-03-05	16:00:00	58.0	-.-	-.-
2026-03-05	17:00:00	59.2	-.-	-.-
2026-03-05	18:00:00	56.3	56.3	-.-
2026-03-06	09:00:00	56.0	-.-	-.-
2026-03-06	10:00:00	56.5	-.-	-.-
2026-03-06	11:00:00	59.8	-.-	-.-
2026-03-06	12:00:00	54.3	-.-	-.-
2026-03-06	13:00:00	57.5	-.-	-.-
2026-03-06	14:00:00	53.8	-.-	-.-
2026-03-06	15:00:00	55.0	-.-	-.-
2026-03-06	16:00:00	52.5	-.-	-.-
2026-03-06	17:00:00	56.4	-.-	-.-
2026-03-06	18:00:00	51.8	56.0	-.-
2026-03-07	09:00:00	53.6	-.-	-.-
2026-03-07	10:00:00	53.0	-.-	-.-
2026-03-07	11:00:00	51.7	-.-	-.-
2026-03-07	12:00:00	53.4	-.-	-.-
2026-03-07	13:00:00	59.2	-.-	55.1

Location 3 (meter ref. P5DLY-N3J7A) – Time History Data



3.7 There was 100% data coverage during the monitoring period. There were no exceedances of the daily noise trigger level (75 dB LAeq,T) or hourly noise action level (78 dB LAeq,1 hour) at this location for the monitoring period covered by this report.

Vibration Monitoring Results

Location 1 (meter ref. PIJIVI) – Raw data

Measuring point:	Period:
Holloway - L1	23/02/26 - 07/03/26
Criteria mm/s PPV	Exceedances
1.0	2

Order	Value	Date	Time
1	1.80	02/03/2026	14:44
2	1.28	23/02/2026	16:10
3	0.67	26/02/2026	09:33
4	0.64	23/02/2026	11:03
5	0.52	06/03/2026	12:23
6	0.49	23/02/2026	14:28
7	0.37	02/03/2026	14:40
8	0.35	02/03/2026	14:45
9	0.29	02/03/2026	09:22
10	0.27	02/03/2026	14:46

Location 1 (meter ref. PIJIVI) – Time history graph



3.8 There was 100% data coverage at Location 1 during construction hours for the monitoring period covered by this report. There were two exceedances of the project vibration trigger level of 1.0 mm/s PPV. The highest recorded level occurred on Monday 2nd March at 14:44, with a recorded level of 1.8 mm/s PPV. Based on discussions with site management, this is understood to have been caused by trench excavation within the proximity of Block C1. This will continue to be monitored.

Location 2 (meter ref. LEQUMO) – Raw data

Measuring point:	Period:
Holloway - L2	23/02/26 - 07/03/26
Criteria mm/s PPV	Exceedances
1.0	6

Order	Value	Date	Time
1	3.43	03/03/2026	13:42
2	1.51	03/03/2026	14:20
3	1.40	06/03/2026	13:45
4	1.38	04/03/2026	09:21
5	1.28	02/03/2026	14:01
6	1.02	03/03/2026	14:39
7	0.94	06/03/2026	13:44
8	0.86	02/03/2026	14:07
9	0.81	06/03/2026	15:06
10	0.80	06/03/2026	14:15

Location 2 (meter ref. LEQUMO) – Time-history graph



3.9 There was 100% data coverage at Location 2 during construction hours for the monitoring period covered by this report. There were six exceedances of the project vibration trigger level of 1.0 mm/s PPV. The highest recorded level occurred on Tuesday 3rd March at 13:42, with a recorded level of 3.4 mm/s PPV. Based on discussions with site management, the exceedances are understood to have been caused by scaffolding and Metsec works across Block E.

Location 3 (meter ref. RIYORU) – Raw data

Measuring point:	Period:
Holloway - L3	23/02/26 - 07/03/26
Criteria mm/s PPV	Exceedances
4.0	2

Order	Value	Date	Time
1	11.26	25/02/2026	08:58
2	4.06	25/02/2026	09:04
3	3.35	03/03/2026	08:15
4	2.94	27/02/2026	13:43
5	2.87	02/03/2026	14:37
6	2.77	25/02/2026	09:06
7	2.75	25/02/2026	09:05
8	2.66	03/03/2026	12:38
9	2.41	27/02/2026	10:26
10	2.31	25/02/2026	09:07

Location 3 (meter ref. RIYORU) – Time-history graph



3.10 There was 100% data coverage at Location 3 during construction hours for the monitoring period covered by this report. There were two exceedances of the project vibration trigger level of 4.0 mm/s PPV, as shown in the raw data and graph above. The highest recorded level occurred on Wednesday 25 February at 08:58, with a recorded level of 11.3 mm/s PPV. It is worth noting that the only other exceedance at this location was recorded six minutes after the first. It is understood that both exceedances were caused by vehicles within close proximity to the monitor. It is positive that no other exceedances were recorded at this location during the monitoring period.

Location 4 (meter ref. TEJELU)

3.11 There was 0% data coverage at Location 4 for the monitoring period covered by this report. The battery has since been replaced and the meter has been recording normally since.